



PACKING METHOD 2 - RONDAL PPWR - TECHNICAL DOCUMENTATION_PACKAGING SYSTEM

1. SUPPLIER IDENTIFICATION

Supplier name	Rondal d.o.o.
Address	Partizanska cesta 38 2310 Slovenska Bistrica, Slovenia
Contact person Email	Please contact your sales representative

2. DESCRIPTION OF PACKAGING COMPONENT

Packaging system name	Transport packaging for aluminium semi-finished products
Intended use	Protection, stabilization and safe transport of products
Packaging level	Tertiary / transport packaging
Distribution area	EU and non-EU markets
Packaging type	Mixed-material packaging system
Single-use / reusable	Single-use (Mixed reusable and single-use components)

3. COMPONENTS OF PACKAGING SYSTEM

Wood components	Support and stabilization during transportation
Paper/Cardboard components - Cardboard box, - Adhesive tape ECO KREP. - Label.	Surface protection and separation
Plastic components - Stretch foil, Cover foil - Adhesive tape.	Wrapping, stabilization and protection

4. PACKAGING WEIGHT RANGE

Total packaging weight	18 - 36	kg
-------------------------------	---------	----

For packaging system components see Section 3.

Packaging configuration may vary depending on:

- customer requirements,
- product dimensions,
- transport conditions,
- destination market,
- protection requirements.

Material composition and weight ranges presented in this document represent typical packaging configurations used by the company.

Actual gross weight and net weight are recorded for each shipment and are stated on the corresponding delivery note.

Skrbnik dokumenta:

Solastniki dokumenta:

Lastnik dokumenta:

Tadej Juhart

Denis Ogrizek

Bojan Močnik

Datum: 18. 06. 2026 @ 15:56

Veljavnost od: 18. 06. 2026

Veljavnost do: 18. 06. 2028

Stopnja zaupnosti dokumenta: interno

Status dokumenta: v odobritvi

Dokumenti so obvladovani v informacijskem sistemu DNA. V primeru razlik med dokumenti, velja izvirni dokument v sistemu DNA.

Dokument je internega značaja. Prenos tretjim osebam brez predhodne odobritve ni dovoljen. Vse pravice pridržane.



PACKING METHOD 2 - RONDAL PPWR - TECHNICAL DOCUMENTATION_PACKAGING SYSTEM

5. RECYCLABILITY ASSESSMENT

Wood	Recyclable and/or reusable within established wood recovery systems
Paper/Cardboard	Widely recyclable within paper and cardboard recycling streams
Plastic	Recyclable depending on specific polymer composition and local recycling infrastructure

Due to the high variability of packaging configurations and customer-specific transport requirements, recyclability assessment is performed at material category level.

Packaging configurations are designed to:

- facilitate material separation where technically feasible,
- minimize unnecessary material combinations,
- support established recycling streams,
- minimize impact of ancillary packaging components.

The company continuously monitors future harmonized recyclability criteria and delegated acts under PPWR and will update assessment methodology where required.

6. RECYCLED CONTENT

Plastic components	–
Paper/cardboard components	–
Wooden components	Not applicable

*In accordance with Article 7(5)(b) of Regulation (EU) 2025/40 (PPWR), the minimum recycled content requirements do not apply to any plastic part representing less than 5 % of the total weight of the whole packaging unit

7. SUBSTANCES AND COMPLIANCE

REACH Regulation	compliant
Does product contain a SVHC candidate above (>0,1%) the applicable limits?	Not intentionally added
SVHC candidate CAS number and name	/
Heavy metals restriction Pb+Cd+Cr6++Hg < 0,01%	compliant
POP Regulation	compliant
PFAS intentionally added or > 0,1%	NO
PFAS CAS number, name and concentration	/

The information provided in this section is based on data and declarations received from our suppliers.



**PACKING METHOD 2 -RONDAL PPWR -
TECHNICAL DOCUMENTATION_PACKAGING
SYSTEM**

8. MINIMIZATION ASSESSMENT

The packaging system has been designed in accordance with the packaging minimization principle while ensuring:

- adequate protection of aluminium products,
- transport stability,
- safe handling,
- prevention of mechanical damage,
- prevention of moisture exposure during transport and storage.

The packaging volume and weight have been minimized to the extent technically feasible without compromising product safety or logistics performance.

9. TRACEABILITY

Packaging traceability	ERP linked
Supplier traceability	Available through supplier documentation
Documentation retention period	minimum 5 years

10. DECLARATION

The company declares that the above packaging system complies with applicable requirements of Regulation (EU) 2025/40 on Packaging and Packaging Waste (PPWR).

The information provided in this document is based on supplier documentation, internal assessments and available technical data at the date of issue.